





[illegible]

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

[illegible][illegible][illegible][illegible][illegible][illegible][illegible][illegible][illegible][illegible]

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

[illegible]

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☒☒ ☐ ☐ ☐ ☐ ☒☒ ☐ ☐ ☐ ☐ ☐

[illegible]

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☒☒ ☐ ☐ ☐ ☐ ☐

[illegible][illegible]

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☒☒ ☐ ☐ ☐ ☐

[illegible][illegible]

☐ ☐ ☐

The diagram consists of four horizontal rows of small squares. The first row contains 26 squares, the second row contains 27 squares, the third row contains 28 squares, and the fourth row contains 19 squares.

[illegible]

A dot plot showing the number of books read by students. The horizontal axis is labeled "Number of books read" and ranges from 0 to 20. The vertical axis is labeled "Number of students" and ranges from 0 to 10. The data points are: 1 book (2 students), 2 books (3 students), 3 books (4 students), 4 books (2 students), 5 books (1 student), 6 books (2 students), 7 books (3 students), 8 books (4 students), 9 books (2 students), 10 books (1 student), 11 books (2 students), 12 books (3 students), 13 books (4 students), 14 books (2 students), 15 books (1 student), 16 books (2 students), 17 books (3 students), 18 books (4 students), 19 books (2 students), 20 books (1 student).

A 5x25 grid of squares representing a sparse matrix. The squares are arranged in a pattern that suggests a banded structure with some additional non-zero elements. Row 1: columns 8-25. Row 2: columns 1-25. Row 3: columns 1-25. Row 4: columns 1-25. Row 5: columns 1-6.

[illegible][illegible]

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☒ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐

☐ ☒ ☒ ☐ ☐ ☐ ☐ ☐ ☐ ☒ ☒ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☒ ☒ ☐ ☐ ☐ ☐

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☒ ☒ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐

☐ ☐ ☐ ☐

[illegible]

A 5x20 grid of squares representing a sparse matrix. The squares are arranged in a pattern that suggests a banded structure with some off-diagonal elements.

[illegible]

☐ ☐ ☐

